

Single lever basin mixer 190 with isolated water conduction and pop-up waste set

Finish: Matt Black Article Number: 71562670



Description

product features

· consists of: single lever basin mixer, waste set

ComfortZone: 190
projection: 181 mm
spout height: 190 mm
handle variant: lever handle

nandle variant: lever nandlespray type: normal sprayswiveling spray former

· maximum flow rate at 3 bar: 5 l/min

· ceramic cartridge

· temperature limitation adjustable

 with isolated water conduction - without contact with nickel and lead

· suitable for continuous flow water heaters

pop-up waste set G 1¼


· material waste set: synthetic

connection type: G % hose connections


connection dimension: DN15

· EU taxonomy: max. 6 l/min - Substantial Contribution

(SC) possible










Single lever basin mixer 190 with isolated water conduction and pop-up waste set Finish: Matt Black Article Number: 71562670








Single lever basin mixer 190 with isolated water conduction and pop-up waste set

Finish: Matt Black Article Number: 71562670







Single lever basin mixer 190 with isolated water conduction and pop-up waste set Finish: Matt Black Article Number: 71562670



Spare part list Year of production: >07/21				
1	handle	93684670	58	1
2	screw cover	96338000	1	1
3	flange	93680670	53	1
4	nut	93686000	7	1
5	cartridge, assy	97685000	11	1
6	locking screw for handle	95140000	2	1
7	seal	98865000	8	1
8	aerator swivelling M24x1 (5 l/min)	93834670	56	1
9	seal	93687000	1	1
10	fixing set (Ø 32)	13961000	7	1
11	lever collar	97548000	1	1
12	pull rod	93683670	54	1
а	pop up waste	94139670	64	1
b	fixation extension 35 mm	13898000	12	1
С	lever arm 340mm (ball-Ø12mm)	96324000	7	1